SAFETY DATA SHEET LYRECO MULTIPURPOSE CLEANING KIT - Multipurpose foam cleaner

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name Product No. Internal Id	LYRECO MULTIPURPOSE CLEANING KIT - Multipurpose foam cleaner 2, 182, 499-3, ZP AMPK000LYR		
1.2. Relevant identified uses of the substance or mixture and uses advised against			
Identified uses Uses advised against	Office Equipment Cleaning Product At this moment in time we do not have information on use restrictions. They will be included in this safety data sheet when available		
1.3. Details of the supplier of the safety data sheet			
Supplier	LYRECO Rue du 19 mars 1962, F-59770 MARLY FRANCE +33 (0) 3 27 23 64 00		

1.4. Emergency telephone number

+33 (0) 3 27 23 64 00 This number is serviced during office hours only

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Classification (1999/45/EEC)

Physical and Chemical	Not classified.
Hazards	
Human health	Not classified.
Environment	Not classified.
Not classified.	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16. Human health

msds@lyreco.com

Contact with liquefied gas might cause frostbites, in some cases with tissue damage. **Physical and Chemical Hazards**

Aerosol containers can explode when heated, due to excessive pressure build-up.

2.2. Label elements

Label In Accordance With (EC) No. 1272/2008

No pictogram required.

2.3. Other hazards

Not Classified as PBT/vPvB by current EU criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

PROPAN-2-OL			1-5%
CAS-No.: 67-63-0	EC No.: 200-661-7		
Classification (EC 1272/2008)		Classification (67/548/EEC)	
Flam. Liq. 2 - H225		F;R11	
Eye Irrit. 2 - H319		Xi;R36	
STOT SE 3 - H336		R67	
DISTILLATES (PETROLEUM), H			1-5%
DISTILLATES (FETROLEON), F	TIDROTREATED LIGHT, K	EROSINE - UNSPECIFIED	1-070
CAS-No.: 64742-47-8	EC No.: 265-149-8		
Classification (EC 1272/2008)		Classification (67/548/EEC)	
Asp. Tox. 1 - H304		Xn;R65	
ALKYL C10-13 BENZENE SUPL	HONIC ACID SODIUM SAL	т	1-5%
ALITE OTO TO BENZENE CON		••	1-070
	FO.N. 070 445 0		
CAS-No.: 68411-30-3	EC No.: 270-115-0		
Classification (EC 1272/2008)		Classification (67/548/EEC)	
Acute Tox. 4 - H302		Xn;R22.	
Skin Irrit. 2 - H315		Xi;R38,R41.	
Eye Dam. 1 - H318		XI,N30,N41.	
2-BUTOXYETHANOL			1-5%
CAS-No.: 111-76-2	EC No.: 203-905-0		
Classification (EC 1272/2008)		Classification (67/548/EEC)	
Acute Tox. 4 - H302		Xn;R20/21/22	
Acute Tox. 4 - H312		Xi;R36/38	
Acute Tox. 4 - H332			
Skin Irrit. 2 - H315			
Eye Irrit. 2 - H319			

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Composition Comments

Ingredients not listed are classified as non-hazardous or at a concentration below reportable levels.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

Move the exposed person to fresh air at once. Keep the affected person warm and at rest. Get prompt medical attention. **Ingestion**

DO NOT INDUCE VOMITING! Rinse mouth thoroughly.

Skin contact

Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

Eye contact

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

In high concentrations, vapours are anaesthetic and may cause headache, fatigue, dizziness and central nervous system effects.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

Unusual Fire & Explosion Hazards

Aerosol cans may explode in a fire.

Specific hazards

Vapours are heavier than air and may travel along the floor and in the bottom of containers. Vapours may be ignited by a spark, a hot surface or an ember.

5.3. Advice for firefighters

Special Fire Fighting Procedures

Move container from fire area if it can be done without risk.

Protective equipment for fire-fighters

Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid inhalation of vapours and contact with skin and eyes.

6.2. Environmental precautions

Do not discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Absorb in vermiculite, dry sand or earth and place into containers.

6.4. Reference to other sections

Wear protective clothing as described in Section 8 of this safety data sheet. See section 11 for additional information on health hazards. Collect and dispose of spillage as indicated in section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level.

7.2. Conditions for safe storage, including any incompatibilities

Store at moderate temperatures in dry, well ventilated area.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA	- 8 Hrs	STEL	- 15 Min	Notes
2-BUTOXYETHANOL	WEL	25	123 mg/m3	50		
		ppm(Sk)		ppm(Sk)		
PROPAN-2-OL	WEL	400 ppm	999 mg/m3	500 ppm	1250 mg/m3	

WEL = Workplace Exposure Limit.

_ . . _ .

PROPAN-2-OL (CAS: 67-63-0)

DNEL			
Industry	Dermal	888	mg/kg/day
Industry	Inhalation.	500	mg/m3
Consumer	Dermal	319	mg/kg/day
Consumer	Inhalation.	89	mg/m3
Consumer	Oral	26	mg/kg/day
PNEC			
Freshwater	140.9	mg/l	
Marinewater	140.9	mg/l	
Sediment	552	mg/kg	
Soil	28	mg/kg	

8.2. Exposure controls

Process conditions

Use engineering controls to reduce air contamination to permissible exposure level. Provide eyewash station.

Engineering measures

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

Respiratory equipment

In case of inadequate ventilation use suitable respirator. EN14387

Hand protection

Use suitable protective gloves if risk of skin contact. Nitrile gloves are recommended. Gloves should conform to EN374 Eye protection

Wear approved safety goggles. EN166

Other Protection

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.

Hygiene measures

Wash hands at the end of each work shift and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke. DO NOT SMOKE IN WORK AREA!

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Aerosol. Liquid
Colour	Colourless.
Odour	Characteristic.
Solubility	Soluble in water.
Initial boiling point and boiling range (°C)	>100 (>212 F)
Relative density	0.995 @ 20 °c (68 F)
Vapour pressure	@°c
pH-Value, Conc. Solution	7 - 8
Flash point (°C)	>55 (131 F) CC (Closed cup).
9.2. Other information	
Volatility Description	Volatile

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Report Date : 05/11/2014

LYRECO MULTIPURPOSE CLEANING KIT - Multipurpose foam cleaner

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Not available. Hazardous Polymerisation Will not polymerise.

10.4. Conditions to avoid

Avoid heat, flames and other sources of ignition. Avoid contact with acids and alkalis.

10.5. Incompatible materials

Materials To Avoid

No specific, or groups of materials are likely to react to produce a hazardous situation.

10.6. Hazardous decomposition products

Fire or high temperatures create: Carbon monoxide (CO). Hydrogen fluoride (HF). Carbonyl fluoride

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Other Health Effects

This substance has no evidence of carcinogenic properties.

General information

No specific health warnings noted.

Inhalation

High concentrations of vapours may irritate respiratory system and lead to headache, fatigue, nausea and vomiting.

Skin contact

No specific health warnings noted. **Eye contact** May cause temporary eye irritation.

Toxicological information on ingredients.

PROPAN-2-OL (CAS: 67-63-0)

Acute toxicity: Acute Toxicity (Oral LD50) 5280 mg/kg Rat

Acute Toxicity (Dermal LD50) 12800 mg/kg Rabbit

Acute Toxicity (Inhalation LC50) 72.6 mg/l (vapours) Rat 4 hours

2-BUTOXYETHANOL (CAS: 111-76-2)

Acute toxicity:

Acute Toxicity (Oral LD50) 1480 mg/kg Rat

Acute Toxicity (Dermal LD50) 416 mg/kg Rabbit

Acute Toxicity (Inhalation LC50) 450 ppmV (gas) Rat 4 hours

SECTION 12: ECOLOGICAL INFORMATION

Report Date : 05/11/2014

LYRECO MULTIPURPOSE CLEANING KIT - Multipurpose foam cleaner

Ecotoxicity

Not regarded as dangerous for the environment.

12.1. Toxicity

Acute Toxicity - Fish No information required. Acute Toxicity - Aquatic Invertebrates No information required. Acute Toxicity - Aquatic Plants No information required. Acute Toxicity - Microorganisms No information required.

Ecological information on ingredients.

PROPAN-2-OL (CAS: 67-63-0)

Acute Toxicity - Fish

LC50 96 hours 9640 mg/l Pimephales promelas (Fat-head Minnow) Acute Toxicity - Aquatic Invertebrates EC50 48 hours 13299 mg/l Daphnia magna Acute Toxicity - Aquatic Plants EC50 72 hours > 1.000 mg/l Scenedesmus subspicatus Acute Toxicity - Microorganisms EC50 > 1.000 mg/l Activated sludge

2-BUTOXYETHANOL (CAS: 111-76-2)

LC 50, 96 Hrs, Fish mg/l 1700 EC 50, 48 Hrs, Daphnia, mg/l >1000 IC 50, 72 Hrs, Algae, mg/l 500

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT; KEROSINE - UNSPECIFIED (CAS: 64742-47-8) LC 50, 96 Hrs, Fish mg/l >1000 EC 50, 48 Hrs, Daphnia, mg/l >250 IC 50, 72 Hrs, Algae, mg/l

12.2. Persistence and degradability

Degradability

20

There are no data on the degradability of this product.

12.3. Bioaccumulative potential

Bioaccumulative potential

No data available on bioaccumulation.

12.4. Mobility in soil

Mobility:

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces.

12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

Not available.

SECTION 13: DISPOSAL CONSIDERATIONS

General information

Do not puncture or incinerate even when empty.

13.1. Waste treatment methods

Empty containers must not be burned because of explosion hazard. Dispose of waste and residues in accordance with local authority requirements.

SECTION 14: TRANSPORT INFORMATION		
General	This product is packed in accordance with the Limited Quantity Provisions of CDGCPL2, ADR and IMDG. These provisions allow transport of aerosols of less than 1litre packed in cartons of less than 30kg gross to be exempt from control providing that they are labelled in accordance with the requirements of these regulations to show that they are being transported as Limited Quantities. Aerosols not so packed must show the following	
<u>14.1. UN number</u>		
UN No. (ADR/RID/ADN)	1950	
UN No. (IMDG)	1950	
UN No. (ICAO)	1950	
14.2. UN proper shipping name		
Proper Shipping Name	AEROSOLS	
14.3. Transport hazard class(es	<u>s)</u>	
ADR/RID/ADN Class	2.2	
ADR/RID/ADN Class	Class 2: Gases	
ADR Label No.	2.2	
IMDG Class	2.2	
ICAO Class/Division	2.2	
Transport Labels	NON-FLAMMABLE NON-TOXIC GAS 2	
14.4. Packing group		
ADR/RID/ADN Packing group	#	
IMDG Packing group	#	
ICAO Packing group	#	
14.5. Environmental hazards		
Environmentally Hazardous Substa	ance/Marine Pollutant	

Environmentally Hazardous Substance/Marine Pollutant No.

14.6. Special precautions for user

EMS	F-D, S-U
Tunnel Restriction Code	(E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). Control of Substances Hazardous to Health.

Guidance Notes

Workplace Exposure Limits EH40.

EU Legislation

System of specific information relating to Dangerous Preparations. 2001/58/EC.

Dangerous Preparations Directive 1999/45/EC.

Dangerous Substance Directive 67/548/EEC.

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

Authorisations (Title VII Regulation 1907/2006)

No specific authorisations are noted for this product.

Restrictions (Title VIII Regulation 1907/2006)

No specific restrictions of use are noted for this product.

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

Revision Comments

	ith CHIP3 and EU Directives 1999/45/EC and 2001/58/EC
Issued By	Helen O'Reilly
Revision Date	FEBRUARY 2014
Revision	0
SDS No.	13277
Risk Phrases In Full	
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R22	Harmful if swallowed.
R65	Harmful: may cause lung damage if swallowed.
R11	Highly flammable
R36/38	Irritating to eyes and skin.
R36	Irritating to eyes.
R38	Irritating to skin.
NC	Not classified.
R41	Risk of serious damage to eyes.
R67	Vapours may cause drowsiness and dizziness.
Hazard Statements In Full	
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H332	Harmful if inhaled.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.